PAIN

Pain 69 (1997) 325–326

Contents to Volume 69 (1997)

Numbers 1,2 – January 1997

REVIEW ARTICLE

Malignant bone pain: pathophysiology and treatment
S. Mercadante (Italy) 1

RESEARCH REPORTS

The influence of psychological variables on postoperative anxiety and physical complaints in patients undergoing lumbar surgery
K.I. de Groot, S. Boeke, H.J. van den Berge, H.J. Duivenvoorden, B. Bonke, J. Passchier (The Netherlands) 19
Exploratory factor analysis of the Pain Anxiety Symptoms Scale in patients with chronic pain complaints
D.K. Larsen, S. Taylor, G.J.G. Asmundson (Canada) 27
Pain coping strategies and coping efficacy in rheumatoid arthritis: a daily process analysis
F.J. Keefe, G. Affleck, J.C. Lefebvre, K. Starr, D.S. Caldwell, H. Tennen (USA) 35
The effects of distraction on exercise and cold pressor tolerance for chronic low back pain sufferers
M.H. Johnson, S.M. Petrie (New Zealand) 43
Sudomotor function in sympathetic reflex dystrophy
F. Birklein, R. Sittl, A. Spitzer, D. Claus, B. Neundörfer, H.O. Handwerker (Germany) 49
Effect of adrenergic receptor activation on post-herpetic neuralgia pain and sensory disturbances
B. Choi, M.C. Rowbotham (USA) 55
Interrater reliability in myofascial trigger point examination
R.D. Gerwin, S. Shannon, C.-Z. Hong, D. Hubbard, R. Gevirtz (USA, Taiwan ROC) 65
Vibration reduces thermal pain in adjacent dermatomes
D. Yarnitsky, M. Kunin, R. Brik, E. Sprecher (Israel) 75
Peripheral α-adrenoreceptors are involved in the development of capsaicin induced ongoing and stimulus evoked pain in humans
E. Kinnman, E.-B. Nygårds, P. Hansson (Sweden) 79
Involvement of the NO/cyclic GMP pathway in bradykinin-evoked pain from veins in humans
H. Holthusen (Germany) 87
Blockade of spinal N- and P-type, but not L-type, calcium channels inhibits the excitability of rat dorsal horn neurones produced by subcutaneous formalin inflammation
A. Diaz, A.H. Dickenson (UK) 93
Differential contribution of the two phases of the formalin test to the pattern of c-*fos* expression in the rat spinal cord: studies with remifentanil and lidocaine
C. Abbadie, B.K. Taylor, M.A. Peterson, A.I. Basbaum (USA) 101
Quantification of local and referred muscle pain in humans after sequential i.m. injections of hypertonic saline
T. Graven-Nielsen, L. Arendt-Nielsen, P. Svensson, T.S. Jensen (Denmark) 111
An animal model of pain produced by systemic administration of an immunotherapeutic anti-ganglioside antibody
R. Slart, A.L. Yu, T.L. Yaksh, L.S. Sorkin (The Netherlands, USA) 119
Deriving dichotomous outcome measures from continuous data in randomised controlled trials of analgesics: verification from independent data
A. Moore, H. McQuay, D. Gavaghan (UK) 127
Pain characteristics help to predict the analgesic efficacy of radiotherapy for the treatment of cancer pain
E.H.J.M. Rutten, B.J.P. Crul, P.-P.G. van der Toorn, A.W.I. Otten, R. Dirksen (The Netherlands) 131
In vivo model of muscle pain: quantification of intramuscular chemical, electrical, and pressure changes associated with saline-induced muscle pain in humans
T. Graven-Nielsen, A. McArdle, J. Phoenix, L. Arendt-Nielsen, T.S. Jensen, M.J. Jackson, R.H.T. Edwards (Denmark, UK) 137
Electrophysiological characteristics of primary afferent fibers after systemic administration of anti-GD2 ganglioside antibody
W.-h. Xiao, A.L. Yu, L.S. Sorkin (USA) 145
Use of exogenous hormones and risk of temporomandibular disorder pain
L. LeResche, K. Saunders, M.R. Von Korff, W. Barlow, S.F. Dworkin (USA) 153
The effects of mexiletine, desipramine and fluoxetine in rat models involving central sensitization
M.-F. Jett, J. McGuirk, D. Waligora, J.C. Hunter (USA) 161

Continuous intravenous infusion of naloxone does not change behavioral, cardiovascular, or inflammatory responses to subcutaneous formalin in the rat
B.K. Taylor, M.A. Peterson, A.I. Basbaum (USA) 171
α_2-Adrenergic receptor subtypes in rat dorsal root and superior cervical ganglion neurons
M.S. Gold, S. Dastmalchi, J.D. Levine (USA) 179
Transdermal fentanyl in the long-term treatment of cancer pain: a prospective study of 50 patients with advanced cancer of the gastrointestinal tract or the head and neck region
S. Grond, D. Zech, K.A. Lehmann, L. Radbruch, H. Breitenbach, D. Hertel (Germany) 191

CLINICAL NOTES

Acute neuropsychiatric findings in a patient receiving fentanyl for cancer pain
E. Bruera, J. Pereira (Canada) 199
Unusual problem with pain relief in an opium addict
L. Vas (India) 203
Neurological impairment during long-term intrathecal infusion of bupivacaine in cancer patients: a sign of spinal cord compression
R.T.M. van Dongen, R. van Ee, B.J.P. Crul (The Netherlands) 205
A small and painful puzzle
R.H. Adler, N. Gerber, M. Weber (Switzerland) 211

Number 3 – February 1997

REVIEW ARTICLE

Chronic abacterial prostatitis – a urological chronic pain syndrome?
K.J. Egan, J.L. Krieger (USA) 213

RESEARCH PAPERS

Myositis-induced functional reorganisation of the rat dorsal horn: effects of spinal superfusion with antagonists to neurokinin and glutamate receptors
U. Hoheisel, B. Sander, S. Mense (Germany) 219
Fear and avoidance in dysfunctional chronic back pain patients
G.J.G. Asmundson, G.R. Norton, M.D. Allerdings (Canada) 231
Cardiovascular reactivity to psychological stress may enhance subsequent pain sensitivity
C. Caceres, J.W. Burns (USA) 237
Severity of skin lesions of herpes zoster at the worst phase rather than age and involved region most influences the duration of acute herpetic pain
K. Higa, M. Mori, K. Hirata, K. Hori, H. Manabe, K. Dan (Japan) 245
Gut pain reactions in man: an experimental investigation using short and long duration transmucosal electrical stimulation
L. Arendt-Nielsen, A.M. Drewes, J.B. Hansen, U. Tage-Jensen (Denmark) 255
Plasma and saliva substance P levels: The effects of acute pain in pregnant and non-pregnant women
P.L. Dalby, S. Ramanathan, T.E. Rudy, L. Roy, J.S. Amenta, A. Aber (USA, Canada) 263
A unidimensional pain/disability measure for low-back pain syndromes
L. Tesio, C.V. Granger, R.C. Fiedler (Italy, USA) 269
Pain in spasmodic torticollis
O. Kutvonen, P. Dastidar, T. Nurmikko (Finland, UK) 279
Single-patient data meta-analysis of 3453 postoperative patients: oral tramadol versus placebo, codeine and combination analgesics
R.A. Moore, H.J. McQuay (UK) 287
Pharmacokinetics and pharmacodynamics of twenty-four-hourly Kapanol compared to twelve-hourly MS Contin in the treatment of severe cancer pain
G.K. Gourlay, D.A. Cherry, M.M. Onley, S.G. Tordoff, D.A. Conn, G.M. Hood, J.L. Plummer (Australia) 295
The influence of the timing of bupivacaine infiltration on the time course of inflammation induced by two carrageenin injections seven days apart
D. Fletcher, V. Kayser, G. Guilbaud (France) 303
Deriving dichotomous outcome measures from continuous data in randomised controlled trials of analgesics: use of pain intensity and visual analogue scales
A. Moore, O. Moore, H. McQuay, D. Gavaghan (UK) 311
Enhancement of the antiallodynic and antinociceptive efficacy of spinal morphine by antisera to dynorphin A (1–13) or MK-801 in a nerve-ligation model of peripheral neuropathy
M.L. Nichols, Y. Lopez, M.H. Ossipov, D. Bian, F. Porreca (USA, France) 317

Author Index to Volume 69 323

Contents to Volume 69 325